



YOU'LL NEVER BE BETTER PROTECTED

ADA Components Guide



- DURABLE GALVANIZED FINISH
- INDEPENDENTLY TESTED, MEETS OR EXCEEDS SAFETY STANDARDS
- MULTIPLE BASE AND WALL MOUNTING OPTIONS
- COST EFFECTIVE SYSTEM FOR NEW OR EXISTING RAILING SYSTEMS

CSI 05520
June 2008



About ADA Railings

The Americans with Disabilities Act, ADA, is the comprehensive civil rights law designed to prohibit discrimination against people with disabilities. Public and private businesses, state and local government agencies, private entities, offering any public accommodations, services, transportation and utilities are all required to comply with this law. The ADA law emphasizes handrail installation because handicapped persons use them to maintain balance, transfer weight and prevent falls. Our handrail system is the answer to a barrier free design and are required in both new and existing buildings.



A10-748 Add-on Single Handrail Socket 1-1/4"



A10-787

A10-848 Add-on Single Handrail Socket 1-1/2"



A10-848

10-840C Single Handrail Socket Capped



10-840C

10-848 Single Handrail Socket



10-848



18 Handrail Connector Internal Coupling

18-7



26-840 Twin Handrail Socket

26-840



26-840C Twin Handrail Socket Capped

26-840C



514 Internal Coupling

514-7



515 90 Split Elbow

515-7



518 Handrail Bracket

518-7



520 90 Solid Elbow

520-7



554 Variable Angle

554-7



555 Top Fix Rail Assembly

555-7



561 Wall Mounted End Return

561-7



565 Wall Mounted End Return

565-7



567 End Post Handrail Return

567-7



570 Wall Mounted Handrail Bracket

570-7



84-848 Upright Top Cap

84-848



508 Gap Washer

508-7



475-40 Aluminum Wall Bracket

475-40


KEE ACCESS Components

- ADA law compliance can be attained with “add-on” components to established railing systems
- Can be powder coated or grip taped to increase visibility and eliminate “cold to touch”
- ”D” style returns eliminates clothing getting caught
- Our internal KEE PROJECTS support team can provide individual applications and solutions to achieve ADA compliance



KEE ACCESS Basic Assembly

How these components work together to give you the most durable and flexible ADA compliant railing system available.



Fittings by Function

Coupling

514-7.....Internal
18-7.....Internal

Elbows

515-7.....90° Split
520-7.....90° Solid
554-7.....Variable Angle
565-7.....Wall Mounted End Return
567-7.....End Post Handrail Return

Bases + Flanges

561-7.....Wall
565-7.....Wall Mounted End Return

Handrail Wall Bracket

475-40.....Aluminum Mounted
518-7.....Galvanized Inset
570-7.....Galvanized Mounted

Tees/Sockets

A10-748..Add-on Single Handrail 1^{1/4}"
10-840C..Single Handrail Capped
10-848...Single Handrail
A10-848..Add-on Split Single Handrail 1^{1/2}"
26-840....Twin Handrail
26-840C..Twin Handrail Capped
555-8.....Top Fix Rail Assembly

Miscellaneous

84-848....Upright Top Cap
508-7....Gap Washer



options

Pipe Choices

Galvanized Steel

Schedule 40 and Schedule 80; size 1/4" to 2" IPS; nominal mill lengths of 21' cut to your projects' exact length requirements

Aluminum

Alloy 6105-T5 with an anodized finish; size range 3/4" to 2" IPS; nominal mill lengths of 12' and 24' cut to your projects' exact length requirements

Powder Coating

Durable, corrosion preventing polyester coating applied to already galvanized/anodized products; available in any RAL color


Antimicrobial Coating

Defense against the growth of potentially harmful invisible bacteria and fungi; this powder coating can be applied in a wide range of RAL colors



In-fill Panels

Panels come in a variety of materials, sizes, and finishes. The standard 4" x 4" welded wired mesh is available in sizes up to 4' wide by 8' long. Smaller openings are available (2" x 2" or 1" x 1"). Material can be provided with a galvanized or powder coat finish, or in bare stainless steel. Virtually any custom configuration or material option is available.



Toeboards

Our unique design does not require any drilling on site or in the shop. A slot on the back of the toeboard accepts a bolt head which prevents the bolt from spinning during assembly. Upright hardware and splice kits for corners and straight sections are also available. Toeboard comes in 24' lengths or can be custom cut.

Modules

Pre-assembled modules for a simple and quick assembly; provides a constant barrier height. Available in a variety of sizes and styles to suit individual project requirements



Grip Tape

Improves grip of existing handrail. Grip Tape has a glow-in-the-dark feature for added safety. Yellow and black coloring is also available.



Hi-Traction Covers

Improves footing and helps to prevent slips and falls. Suitable for indoor and outdoor use. Variety of grip options, colors, sizes, and materials. Glow-in-the-dark and custom printing available.



Simplified Building Concepts
PO Box 24291
Rochester, NY 14624

Toll Free: 1 (888) 527 2278
Tel: (585) 672 7312
Fax: (585) 672 7313

www.simplifiedbuilding.com
Email: info@simplifiedbuilding.com